




Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

  
\_\_\_\_\_  
Jason M. Okun  
Attorney for Patentees  
Registration No. 48,512

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
Facsimile: (212) 218-2200

NY\_Main 523701v1

SEP 28 2005

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,916,101 B2

DATED : July 12, 2005

INVENTOR(S) : MICHIO YANAGI ET AL.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE [56] REFERENCES CITED:

Foreign Patent Documents, "JP 62-26768 \*2/1986" should read  
--JP 61-26768 \*2/1986--.

ON THE TITLE PAGE [57] ABSTRACT:

Line 4, "in layer." should read --Cu layer.--.

COLUMN 3:

Line 24, "do" should read --does--; and  
Line 63, "TiO<sub>2</sub> or Cr<sub>2</sub>O<sub>3</sub>" should read --TiO<sub>2</sub> [curved line (a)] or Cr<sub>2</sub>O<sub>3</sub> [curved line (b)]--.

COLUMN 4:

Line 1, "layer" should read --layer [curved line (b): double-layer protective layer; curved line (c): triple-layer protective layer]--;  
Line 3, "used." should read --used [curved line (a)].--; and  
Line 40, "can not" should read --cannot--.

COLUMN 6:

Line 27, "it has a" should read --its--; and  
Line 48, "in" should read --with--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 6,916,101 B2

No. of add'l. copies  
@ 30¢ per page



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,916,101 B2

DATED : July 12, 2005

INVENTOR(S) : MICHIO YANAGI ET AL.

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 7:

Line 13, "(<sub>2</sub>) gas" should read --O<sub>2</sub> gas--.

COLUMN 8:

Line 55, "p Also" should read --¶ Also--; and

Line 63, "(0.5 x 10<sup>31</sup> 4 Torr" should read --(0.5 x 10<sup>-4</sup> Torr--.

COLUMN 9:

Line 6, "of) O<sub>2</sub> gas" should read --of O<sub>2</sub> gas--.

COLUMN 10:

Line 26, "TiO<sub>2</sub> or Cr<sub>2</sub>O<sub>3</sub>" should read --TiO<sub>2</sub> [curved line (a)] or Cr<sub>2</sub>O<sub>3</sub> [curved line (b)].--;

Line 27, ". As" should read --As--;

Line 37, "layer" should read --layer [curved line (b): double-layer protective layer; curved line (c): triple-layer protective layer]--;

Line 38, "used" should read --used [curved line (a)].--; and

Line 48, "film" should read --film has a dense film--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 6,916,101 B2

No. of add'l. copies  
@ 30¢ per page



SEP 28 2005

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,916,101 B2

DATED : July 12, 2005

INVENTOR(S) : MICHIO YANAGI ET AL.

Page 3 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 11:

Table 5, "2.0 Example 1: 95.5 96.0 97.0 95.3 95.7 96.7 A"  
Example 2: 95.4 95.8 96.8 95.2 95.60 96.6 A  
Example 3: 95.9 97.6 98.4 95.7 97.4 98.2 A  
Example 4: 96.74 97.9 98.2 96.5 97.7 98.0 A

should read

--2.0 Example 1: 95.5 96.0 97.0 95.3 95.7 96.7 A--.  
Example 2: 95.4 95.8 96.8 95.2 95.6 96.6 A  
Example 3: 95.9 97.6 98.4 95.7 97.4 98.2 A  
Example 4: 96.7 97.9 98.2 96.5 97.7 98.0 A

COLUMN 17:

Table 11, "Writing Resistance Test" should read --Wiping Resistance Test--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 6,916,101 B2

No. of add'l. copies  
@ 30¢ per page



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,916,101 B2

DATED : July 12, 2005

INVENTOR(S) : MICHIO YANAGI ET AL.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE [56] REFERENCES CITED:

Foreign Patent Documents, "JP 62-26768 \*2/1986" should read  
--JP 61-26768 \*2/1986--.

ON THE TITLE PAGE [57] ABSTRACT:

Line 4, "in layer." should read --Cu layer.--.

COLUMN 3:

Line 24, "do" should read --does--; and  
Line 63, "TiO<sub>2</sub> or Cr<sub>2</sub>O<sub>3</sub>" should read --TiO<sub>2</sub> [curved line (a)] or Cr<sub>2</sub>O<sub>3</sub> [curved line (b)]--.

COLUMN 4:

Line 1, "layer" should read --layer [curved line (b): double-layer protective layer; curved line (c): triple-layer protective layer]--;  
Line 3, "used." should read --used [curved line (a)].--; and  
Line 40, "can not" should read --cannot--.

COLUMN 6:

Line 27, "it has a" should read --its--; and  
Line 48, "in" should read --with--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 6,916,101 B2

No. of add'l. copies  
@ 30¢ per page



SEP 28 2005

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,916,101 B2

DATED : July 12, 2005

INVENTOR(S) : MICHIO YANAGI ET AL.

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 7:

Line 13, “ $\text{O}_2$  gas” should read -- $\text{O}_2$  gas--.

COLUMN 8:

Line 55, “p Also” should read --¶ Also--; and

Line 63, “ $(0.5 \times 10^{31} \text{ }^4 \text{ Torr})$ ” should read -- $(0.5 \times 10^4 \text{ Torr})$ --.

COLUMN 9:

Line 6, “of  $\text{O}_2$  gas” should read --of  $\text{O}_2$  gas--.

COLUMN 10:

Line 26, “ $\text{TiO}_2$  or  $\text{Cr}_2\text{O}_3$ ” should read -- $\text{TiO}_2$  [curved line (a)] or  $\text{Cr}_2\text{O}_3$  [curved line (b)]--;

Line 27, “. As” should read --As--;

Line 37, “layer” should read --layer [curved line (b): double-layer protective layer; curved line (c): triple-layer protective layer]--;

Line 38, “used” should read --used [curved line (a)]--; and

Line 48, “film” should read --film has a dense film--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 6,916,101 B2

No. of add'l. copies  
@ 30¢ per page



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,916,101 B2

DATED : July 12, 2005

INVENTOR(S) : MICHIO YANAGI ET AL.

Page 3 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 11:

Table 5, "2.0 Example 1: 95.5 96.0 97.0 95.3 95.7 96.7 A"  
Example 2: 95.4 95.8 96.8 95.2 95.60 96.6 A  
Example 3: 95.9 97.6 98.4 95.7 97.4 98.2 A  
Example 4: 96.74 97.9 98.2 96.5 97.7 98.0 A

should read

--2.0 Example 1: 95.5 96.0 97.0 95.3 95.7 96.7 A--.  
Example 2: 95.4 95.8 96.8 95.2 95.6 96.6 A  
Example 3: 95.9 97.6 98.4 95.7 97.4 98.2 A  
Example 4: 96.7 97.9 98.2 96.5 97.7 98.0 A

COLUMN 17:

Table 11, "Writing Resistance Test" should read --Wiping Resistance Test--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 6,916,101 B2

No. of add'l. copies  
@ 30¢ per page



SEP 28 2005

Staple  
Here  
Only!

PRINTER'S TRIM LINE